



SABIN ENTERPRISES

Exporters of Agricultural Machinery & Equipments
28, 3rd Floor, Sucheta Nivas, 285, S B S Road, Fort, Mumbai – 400 001
Tel.: 91 22 7963 5873 Email: sabinenterprises93@gmail.com

MAHINDRA NOVO 655 DI

Introducing the Mahindra Novo above 60 HP series of tractors. Mahindra Novo 655DI, has a powerful engine which delivers maximum PTO power manages heavy implements in hard & sticky soil conditions. It has efficient cooling system with bigger size air cleaner & radiator which minimizes choking and gives longer non-stop working hours.

Mahindra Novo's multiple speeds options allows user to choose from 30 available speeds which ensures full control over productivity & time of operation. Its forward reverse shuttle shift lever allows quick reverse which is very useful in harvester, dozing application. Its bigger size clutch ensures less slippage and longer life. It has 3 speeds in PTO to choose from which is useful in power harrow, mulcher applications its high lift capacity is suitable for heavy implements and its high pump flow allows faster work completion.





SABIN ENTERPRISES

Exporters of Agricultural Machinery & Equipments
28, 3rd Floor, Sucheta Nivas, 285, S B S Road, Fort, Mumbai – 400 001
Tel.: 91 22 7963 5873 Email: sabinenterprises93@gmail.com

Features:



4-way Adjustable Deluxe Seat

4-way adjustable captain seat with arm rest for ease in operation.



Digisense

Digisense enables you to stay connected to your tractor 24/7 with the help of a smartphone.



Forward Reverse Shuttle Shift

Single lever for reversing tractor at the same speed for faster performance in agri handling applications, easy & comfortable operations for long hours.



Front Mudguard

Front mudguard safeguards the operator from mud splash. (Available in 4wd only)



SABIN ENTERPRISES

Exporters of Agricultural Machinery & Equipments
28, 3rd Floor, Sucheta Nivas, 285, S B S Road, Fort, Mumbai – 400 001
Tel.: 91 22 7963 5873 Email: sabinenterprises93@gmail.com




Jerry Can

Jerry can weight specially designed for muscular looks.



Metallic Colour & decals

New metallic red colour & metallic decals



Precision Hydraulics

Novo's precise hydraulics possess a high lift capacity of 2200 Kg. A high pump flow of 56 lpm ensures your work gets completed faster. It also has a single spool double acting auxiliary valve.



SABIN ENTERPRISES

Exporters of Agricultural Machinery & Equipments
28, 3rd Floor, Sucheta Nivas, 285, S B S Road, Fort, Mumbai – 400 001
Tel.: 91 22 7963 5873 Email: sabinenterprises93@gmail.com



Roll Over Protection

Roll over protection structure with FRP canopy for enhanced safety and comfort.



Technologically Superior Engine

Transform farming with an advanced 65HP engine that delivers maximum PTO power and high torque, best suited for heavy implements. The engine provides fuel efficiency even at higher loads. It has an efficient cooling system with effective air cleaner and radiator.



Transmission

Synchromesh gears with 30 gear speeds ensures effortless gear changes. A forward-reverse shuttle shift also makes driving comfortable. The clutch is big and reliable with long life. It has 3 speed PTO options (540, 540E, Reverse) and 4WD for better traction.



SABIN ENTERPRISES

Exporters of Agricultural Machinery & Equipments
28, 3rd Floor, Sucheta Nivas, 285, S B S Road, Fort, Mumbai – 400 001
Tel.: 91 22 7963 5873 Email: sabinenterprises93@gmail.com

Specifications:

Engine	
Horsepower	65 HP
No.of Cylinders	4
Air Cleaner	Dry Type with clog indicator
Rated RPM	2100
Dimensions	
Fuel Tank (Litres)	60
Length (mm)	3710
Height (till exhaust pipe) (mm)	2160
Wheelbase (mm)	2220
Transmission	
Transmission Type	Synchromesh
No. of Speeds	15Forward + 3 Reverse
Forward Speed (Min/Max)	1.71/33.54 kmph
Reverse Speed (Min/Max)	1.63/32.0 kmph
Clutch	Dual Dry Type
PTO Type	SLIPTO
PTO Speed	540/ 540E / Rev
Creeper speed (OPT)	0.4 kmph
Drive	2WD/4WD
Hydraulics	
Lift Capacity (kg)	2200
Brakes & Steering	
Brake Type	Oil immersed multi disc brakes
Steering Type	Double Acting Power steering
Tyres	
Front	7.5 x 16 / 9.5 x 24
Rear	16.9 x 28 / 16.9 x 28